


DUROWIPER CLASS 80



DuroWiper Class 80


TRANSFER BOX

Mild Steel 5mm Box Section
 Powder Coated to:-
 British Engineering Standard 005 Section 22.
 2 x Inspection Panels (Low Density Polyethylene).
 2 x 10mm Ball Bearing (Sealed)
 2 x 10mm Needle Bearings.
 12 x Oilite Bushes.
 4 x G Seal Seals (Water Proof Seals).
 2 x External Seals

MOTOR.

Bosch 24 Volt DC Isolated Earth.
 5 Amps Starting
 2 Amps Running.
 Twin Parallel Drive Shafts 12 mm Diameter 316
 Stainless Steel
 Distance between shafts 60mm.
 Threaded Spindles M20 x 1mm Pitch Length
 dependant on Bulkhead thickness and any
 interfering protrusion.
 Weight :- 8.3 Kilos

Motor Socket



53B - Fast	=	2
53 - Slow	=	1
31 - Negative	=	Green & Yellow
53A - Positive	=	3
31B - Park Return	=	4



DuroWipers
 Wiper Manufacturers

This plan and design remain the property of DuroWipers and is loaned on condition that it will not be used against their interest nor reproduced in whole or in part without permission and that it shall be returned if requested.

DuroWipers Unit 20, Oldends Lane Ind.Est., Stonehouse. Gloucestershire. G110 3RQ
 Tel: +44(0)844 8541 551- Fax:+44(0)844 8541 550 - sales@durowipers.co.uk - www.durowipers.co.uk

Drawing Number 30807

Tolerances \pm

Material

Quantity

Date 09-05-2006

Drawn by

Project CLASS 80

Customer